



COMPANY NAME (PURCHASER)			
VAT IDENTIFICATION NUMBER		CODICE FISCALE	
ADDRESS			
DISTRICT			
POSTAL CODE	COUNTRY	TEL	FAX
E-mail			

OFFER N°	ORDEN N°	DATE
REFERENCE CLIENT		
 Elevatori Premontati S.r.l. Via della Pavoncella, 10/12 – 56019 VECCHIANO (PI) – ITALY Tel. +39.050.875091 – Fax +39.050.8750999 www.elevatoripremontati.it – info@elevatoripremontati.it <small>Sede legale: Via Querceto,27 - 59100 Prato (PO) Partita IVA 01129050470 - Capitale Sociale € 1.000.000 Interamente Versati Iscritta al Reg. Imprese di Prato n.01129050470 - R.E.A. PO 449750</small>		

The Signer	
-------------------	--

Mobil nr	
-----------------	--

With the present, the “General Conditions of Sale” and the here listed technical specifications, **order** :
N° 1 Platform Model ELFO with STRUCTURE in conformity with the Machinery Directive 06/42/CE ad hydraulic system, speed 0.15 m/s, manoeuvre at men present , supply 230V single phase. Cabin finished with materials and colours to be choice in range colours of EP, with car operating panel , alarm button, stop button, buttons only for the maintenance), emergency light and roof lighting. Landing doors , semiautomatic (manual opening and automatic closing).
P.S. The machine characteristics are on pages 2/4, 3/4 and 4/4.

Transport : <input type="checkbox"/> Included <input type="checkbox"/> Excluded	Installation : <input type="checkbox"/> Included <input type="checkbox"/> Excluded
Delivery material _ _ / _ _ / _ _ _ _	Installation material _ _ / _ _ / _ _ _ _

COMPANY NAME DELIVERY		ADDRESS	
CONTACT		DISTRICT	
TEL	FAX	POSTAL CODE	COUNTRY

PAYMENT CONDITION


BANK	FILIALE	ABI	CAB
------	---------	-----	-----

Price of installation €	
--------------------------------	--

(IN DATA)

(IL VENDITORE)

(L'ACQUIRENTE – munito dei poteri di firma)

ELFO WITH STRUCTURE - DIMENSIONING AND SHAFT


Capacity Kg	
Cabin H	
Travel	
4° Interfloor	
3° Interfloor	
2° Interfloor	
1° Interfloor	
Pit	
Dimensions in mm	

Head available mm		Head structure mm	
--------------------------	--	--------------------------	--

Machine room	At floor		Length of the hose travel (mt)	
---------------------	----------	--	---------------------------------------	--

ELFO - CABIN

* Only with horizontal car operating panel

Materials & Colours	
Panels	
Finishings	
Floor	
Handrail	
Outside cov.	
Roof	<input type="checkbox"/> White A1 <input type="checkbox"/> Inox Polished <input type="checkbox"/> Inox Brushed

Accessories	Side A	Side B	Side C	Side D
½ Mirror	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mirror	<input type="checkbox"/> *	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
½ Panoramic	ND	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Panoramic	ND	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Handrail	ND	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Outside cov.	ND	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

illuminazione :	<input type="checkbox"/> Universal <input type="checkbox"/> Dama <input type="checkbox"/> Labirint <input type="checkbox"/> Spots LED <input type="checkbox"/> Roof covering
------------------------	--

Display cabin:	<input type="checkbox"/> Icaro <input type="checkbox"/> Dedalo <input type="checkbox"/> Foto <input type="checkbox"/> Full height infra-red curtain <input type="checkbox"/> Car operating panel Horizontal
-----------------------	---

Customer own flooring	Thickness (mm)		Weight (Kg)	
------------------------------	----------------	--	-------------	--

(DATE) _____ (SELLER) _____ (PURCHASER) _____

ELFO - STRUCTURE

<input type="checkbox"/> Indoor installation	Cladding	Side A	Side B	Side C	Side D
<input type="checkbox"/> Outdoor installation	<input type="checkbox"/> Excluded (prepared for glass)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Calculation report	<input type="checkbox"/> Sheet	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Materials & Colours		<input type="checkbox"/> Glass Visarm Transparent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> RAL Painted		<input type="checkbox"/> Glass Visarm Fumè	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Galvanized		<input type="checkbox"/> Glass Visarm Reflectiv	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Galvanized RAL Painted		<input type="checkbox"/> Glass Visarm Milk White	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Built Polished stainless steel		<input type="checkbox"/> Glass Visarm Neutral Frosted	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Built Brushed stainless steel		<input type="checkbox"/> Glass Visarm Bronze	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Start	Roof	Anchorage rings	Distance of the ringanchorage on the wall (max 3500 mm)
<input type="checkbox"/> Pit bottom	<input type="checkbox"/> For outdoor : high side	<input type="checkbox"/> Masonry	mm <input style="width: 50px;" type="text"/>
<input type="checkbox"/> Floor	<input type="checkbox"/> For indoor	<input type="checkbox"/> Plug	mm <input style="width: 50px;" type="text"/>
<input type="checkbox"/> Pit bord	<input type="checkbox"/> Excluded	<input type="checkbox"/> Excluded	mm <input style="width: 50px;" type="text"/>

1) Always indicate the distance from wall to shaft.
2) Indicate the shaft sides to be anchored on the wall.

The diagram shows a shaft with four sides labeled A, B, C, and D. The word 'Lati' is written in the center. Four sets of measurement lines are shown, one for each side, with labels: '1) Distance mm' followed by a text box, and '2) Anchor side'. The shaft is shown between two vertical wall sections and between two horizontal roof sections.

The diagram shows a vertical shaft with five horizontal lines representing anchorage points on the wall. Each line is accompanied by a 'mm' label and a text box for measurement. The bottom anchorage point is labeled 'mm 0'.

NOTE	
-------------	--

(DATE)

(SELLER)

(PURCHASER)



ELFO - DOORS
CABIN DOORS

Side	Manual folding	Automatic folding	Sliding 2 panels	Sliding 3 panels	Finishing	H Door
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

With closed cabin doors the machine works with automatic control. With absent or open cabin doors (manual folding) the command is constant pressure control (with button pressed constantly for the movement of the cabin).

LANDING SLIDING DOORS

Floor	Side	Type	H Door	H Frame	Color Panels	Color Frame	DI	TA	PM	C1	C2
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Accessori : DI = Display ICARO TA = Access Keypad PM = Button pad on the wall C1 = Enabling key for button panel (single insertion) C2 = double insertion PE = Lock and button pad for outdoor

LANDING SWING DOORS

Floor	Side	Type	Hing	H Door	H Frame	Window	Glass	Accessories	DI	TA	PM	C1	C2	PE
									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
									<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Accessori = Lock CISA or DMG or EP Matic or EP Matic with remote control DI = Display ICARO TA = Access Keypad PM = Button pad on the wall C1 = Enabling key for button panel (single insertion) C2 = double insertion PE = Lock and button pad for outdoor

(DATE)

(SELLER)

(PURCHASER)

ELFO - ACCESSORIES
ENCLOSED IN THE DELIVERY

Telephone (line by customer)	Infrared curtain accesses (Excluded by automatic folding door)	Emergency descent with opening of automatic doors (where required)
Manostat checking overweight	Oil for first filling	Project drawings
Manual pump	Packaging	Audible warning device
Wall cabinet for electric panel	Emergency button	Cabin sills in STAINLESS STEEL or ALLUMINIUM

OTHER ACCESSORIES

<input type="checkbox"/> Motor power 400 Volt	<input type="checkbox"/> Piston in two pieces	<input type="checkbox"/> Auditory signal to indicate the floor level
<input type="checkbox"/> Cabinet hydraulic/electrical panel Starry Blue	<input type="checkbox"/> General switcher to enabling controller	<input type="checkbox"/> Pan for oil recovery
<input type="checkbox"/> Cabinet hydraulic/electrical panel Inox Lucido	<input type="checkbox"/> 2 speeds hydraulic control unit for ELFO 300 kg.	<input type="checkbox"/> Piston and mechanical part painted RAL 9005
<input type="checkbox"/> Cabinet hydraulic/electrical panel Inox Scotch Brite	<input type="checkbox"/> Squared Buttons 50 X 50 in inox Scotch Brite	<input type="checkbox"/> Shaft lighting
<input type="checkbox"/> Intercom	<input type="checkbox"/> Landing buttons Braille	<input type="checkbox"/> Electrical panel
<input type="checkbox"/> Intercom and Telephone in cabin	<input type="checkbox"/> Automatic return to the lower floor with adjustable time	<input type="checkbox"/> Door handels model Caspim
<input type="checkbox"/> Automatic dealer	<input type="checkbox"/> Oil heating	<input type="checkbox"/> Enabling key for cabin button panel single insertion
<input type="checkbox"/> Automatic dealer with module GSM	<input type="checkbox"/> Non intrusive system at the lowest floor	<input type="checkbox"/> Enabling key for cabin button panel double insertion
<input type="checkbox"/> Guides dimensions 2,5 mt	<input type="checkbox"/> Non intrusive system at the lowest floor + oil heating resistance	<input type="checkbox"/> Access keypad in cabin


NOTE	
-------------	--

Valid for production **Dimension to be agreed**

(DATE)

(SELLER)

(PURCHASER)

**TERMS & GENERAL CONDITIONS OF SALE****1) Contracting parties**

This contract (hereinafter known as Purchase Order) is concluded between the buyer (referred to below as "BUYER") and the E.P. srl company designated in the order (referred to below as "SELLER"). Together, the Buyer and the Seller are designated as the "contracting parties".

2) Quotations

Unless otherwise stated on Seller's quotation form, the price and terms quoted in the quotation are subject to acceptance by the Buyer for a period of 60 days from the date thereof.

In the event that an order should be produced after 6 months from the signing date of the contract for reasons not attributable to E.P., E.P. reserves the right to modified the original price with the current price from the E.P.'s price list at the moment of the put into production.

3) Entire agreement

This Agreement constitutes the entire understanding between the parties regarding the subject matter hereof and may not be modified by any terms on Buyer's purchase order, acknowledgement or any other document, regardless of when provided to Seller.

Alternate terms and conditions or similar documents submitted by either party shall not apply, save where agreed in writing by the contracting parties and signed in confirmation thereof.

The closure of this contract is to be consider done only after E.P. accepts (confirms) the order. All the orders are effective for the Seller and the Buyer only if written in this form.

E.P. has developed each of its Products to be use in normal conditions of temperature, moisture, dirt, not to be exposure to corrosive matter and located far away from places with a high risk of explosion.

4) Cancellation

E.P. reserves the right to cancel this contract at any time by previous notification to the Buyer and without having to pay any kind of indemnification but the restitution of eventual advance payments.

5) Penal clause

In case the Buyer, after the subscription contract, recedes the latter, E.P. has the right to ask:

-The quantity equal to the 50% of the purchase price as a compensation in the event the recede from this contract takes place before the put into production of the product.

-The quantity equal to the 100% of the purchase price in the event the product has been already produced or put into production.

Subject without prejudice to claims for further loss.

6) Modifications

E.P. reserves the right to modified the Products during the design and implementation phase if this is retain appropriate but without modifying any of its overall normal functions. The data shown on the brochure and on this contract are indicative and could undergo variations which will be notify to the Buyer when the project design is sent.

7) Delivery

All material is sold with the ex-factory modality (no transportation included), the Buyer has to bear all costs and risks involved in the taking and transportation process of the product from the Seller premises.

8) Warranty

The warranty should be valid for a period of twelve (12) months from the delivery date of the material. The warranty does not cover defects for natural reasons of usage, damage or defect caused by or occurring in transit or shipment, improper installations, misuse, vandalism, or abuse, exposure to or use in abnormal conditions of temperature, moisture, dirt, corrosive matter, etc., neglect lack of normal maintenance or repairs, modifications or any other cause beyond our control.

Any visible damaged or missing material must be indicated at the time of delivery or no later than three months after the material has been shipped, past this deadline, the material can be supplied by the Seller to the Buyer only after payment of the latter one.

9) Payment

All payments must be made within the time limit agreed in this contract to E.P. Elevatori Premontati srl, Via Querceto 27, Prato, Italy. Payments can not be suspended for any reason. Seller reserves the right to discontinue work if not paid when payment is due and this also implies charging of overdue interests provided by art. 5 DPR 231/02.

10) Registered office and competent court

The registered office of E.P. is on Via Querceto 27, Prato, Italy. In the event of disputes arising out of, or in connection with, this contract or with these terms and conditions of purchase, the contracting parties hereby declare that the court at the place where E.P. has its registered office shall have sole jurisdiction and this is on the city of Prato.

11) Consent for personal data processing

With the compilation of this contract, the Buyer agrees according to art.13 D.lgs 196/03 to the processing and disclosure of personal data to perform the objectives relating administration management – including disclosure and accounting records, contractual relations and the fulfilment of obligations as required by law, rules or normative conditions.

(ON DATE)

(THE SELLER)

(THE BUYER—with power to sign)

The undersigned Buyer declares of having received a copy of this order, taken note of the signing date, having read and accepted all the conditions contain herein. Pursuant to and by effect of the articles. 1341 and 1342 c.c., declares of approving specifically the following clauses on the General Selling Terms and Conditions:1) contracting parties, 2) quotations, 3) entire agreement, 4) cancellation, 5) penal clause 6) modifications, 7) delivery, 8) warranty, 9) payment, 10) registered office and competent court, 11) consent for personal data processing.

(ON DATE)

(THE SELLER)

(THE BUYER—with power to sign)